

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	23	((("6536122") or ("5621203") or ("3590704") or ("5539990") or ("3117480") or ("6163969") or ("6195902") or ("6473980") or ("6187018") or ("5761570") or ("6598304"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 16:23
S6	12258	( laser near3 line ) and beam and optical and ( apparatus device tool )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 17:49
S7	2563	S6 and construct\$6 and align\$5 and emit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 17:46
S13	0	laser and beam and level\$5 and plumb and squire and cover	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 16:02
S14	505	laser and beam and level\$5 and plumb	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 16:03
S17	337046	align\$6 and construct\$6 and level\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 16:57
S18	691	S17 and laser and broad\$5 and flux and collimat\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 17:19
S19	315874	((250/\$7) or (356/\$7) or (359/\$7)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 17:20
S21	7	("4106207"   "5459932"   "5782003"   "6009630"   "6043879"   "6256895").PN. OR ("6536122").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 10:06
S24	5145	((33/290,291,286,283,295) or (356/485,490,462,497,508,138) or (250/239,578.1)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 12:48
S25	352	S24 and laser and lens and beam and align\$6 and level\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 12:48
S26	29	("4221483"   "4263973"   "4291982"   "4441812"   "4752126"   "4820041"   "4830489"   "4988192"   "5331395"   "5361217"   "5485266"   "5533268"   "5551159").PN. OR ("5742387").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 13:21
S33	4477	((250/221,216) or (362/16)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 11:39

S34	627	S33 and ( light laser ) and ( portion compartment cover chamber container apparatus ) and ( glass transparent translucent ) and ( horizontal vertical )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 12:12
S35	3100	((359/629,633) or (356/138,152,149,148,250)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 12:13
S36	689	S35 and ( laser light ) and (horizontal vertical ) and ( glass transparent translucent )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:50
S37	89626	( ( light laser ) near3 ( emit\$6 souce ) ) and ( transparent translucent glass ) and ( cover compartment surround container chamber )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:52
S59	1239259	( laser light ) and ( transparent translucent glass cover )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:52
S63	490593	( horizontal vertical ) near3 ( plane level\$6 mark\$6 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:54
S71	4461	laser same beam and reflect and curv\$6 and ( cover cap lid sheild )and ( vertical or horizontal )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:50
S72	4036	S71 and (level\$6 align\$6 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:50
S73	460	S72 and ( reflect same curv\$6 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 16:29
S76	3378	(lens glass grating prism ) same curv\$6 same laser same reflect\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 11:28
S78	9	("5184103"   "5521573"   "5524352"   "5619802"   "5680208"   "5952909"   "6000128"   "6281779"   "6625895").PN. OR ("6691420").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/25 11:29

S79	16	("4221483"   "5144487").PN. OR ("5552886").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/25 11:46
S80	50	("2460836"   "2633050"   "3684381"   "3771876"   "3807869"   "3856409"   "3897637"   "3905707"   "4043679"   "4111564"   "4119382"   "4221483"   "4333242"   "4679937"   "4767208"   "4836669"   "4852265"   "4912851"   "5012585"   "5075977"   "5108177"   "5144487"   "5159760"   "5182863"   "5184406"   "5459932").PN. OR ("5619802"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/25 16:35
S83	91088	( ( light laser ) near3 ( emit\$6 souce ) ) and ( transparent transluscent glass ) and ( cover compartment surround container chamber )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 14:36
S87	151673	( cylindrical around curved curve concave ) same ( flat concave flatten straight ) same ( len transparent glass translucent opaque window )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 15:46
S90	60180	( cylindrical around curved curve concave multiple) with ( flat concave flatten straight ) with ( len transparent glass translucent opaque window )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:21
S94	328	( pair two second cylindrical around curved curve concave multiple) with ( flat concave flatten straight ) with ( len transparent glass translucent opaque window ) and vertical and horizontal and laser and align\$6 and ( S93/\$7.ccls. "356"/\$7. ccls. 250/206.1,206.2,221,216,239.ccls. 372/12,14.ccls. )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 17:02
S10 1	62	S100 and ( laser and ( horizontal vertical ) and ( transparent translucent glass window ) and ( level\$4 plumb\$4 referenc\$4 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 11:35
S10 2	922	( laser near3 emit\$5 ) near20 ( horizontal vertical ) near5 ( plane level\$4 referenc\$5 plumb\$4 line )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 11:41
S11 4	37597	(rod cylindrical) adj3 lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 12:46
S11 6	126	(( cylind\$5 near4 rod ) ( cylind\$5 adj2 rod ) ( cylind\$5 adj2 rod adj2 lens ) ) near10 ( broad\$5 expand\$5 diffus\$5 ) and ( laser radiation wavelength )	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/09 10:55